

FR 5210

SLIDE TYPE:	Heavy-Duty Full-Extension Ball Bearing Drawer Slide
MOUNTING:	Side Mount

WIDTH:	12.9 mm (0.51 in.)
LOAD CAPACITY:	dynamic up to 90 kg (200 lbs.)




MATERIAL:	cold rolled steel
------------------	-------------------



FEATURES:	steel ball bearings
------------------	---------------------

- SPECIFICATIONS:**
- ▶ precision ball bearing drawer slide for heavy-duty applications in office furniture, architectural millwork and institutional applications
 - ▶ drawer profile features an easy to operate disconnect finger release trigger
 - ▶ system 32 compatible hole locations
 - ▶ drawer slide is non-handed, and has a hold-close detent
 - ▶ over-extension of 25mm (1 in.) is standard

- OPTION:**
- ▶ also available FR 5210.ECD dynamic up to 90Kg (200 lbs.) with ECD Easy Close Device



12.9 mm (0.51 in.) is the actual size of the slide. Allow a min. of 13.1 mm (0.52 in.) for clearance.



Length		Travel		Cabinet Profile:					Drawer Profile:			Weight	Order No.				
mm	in	mm	in	A	B	B1	C	C1	E	F	kg		lbs	white	black	zinc	
250	9.84	275	10.83	64	2.52	160	7.56		160	6.30		*		400180	400169		
300	11.81	325	12.80	64	2.52	192	7.56		192	7.56		*		400181	400170		
350	13.78	375	14.76	64	2.52	224	8.82		96	3.78	256	10.18	*	400182	400171		
400	15.75	425	16.73	64	2.52	224	8.82	288	11.34	128	5.04	288	11.34	*	400232	400183	400172
450	17.72	475	18.70	64	2.52	224	8.82	288	11.34	160	6.30	352	13.86	*	400233	400184	400173
500	19.69	525	20.67	64	2.52	224	8.82	288	11.34	192	7.56	416	16.39	*	400185	400174	
550	21.65	575	22.64	64	2.52	224	8.82	288	11.34	224	8.82	448	17.64	*	400186	400175	
600	23.62	625	24.61	64	2.52	224	8.82	288	11.34	224	8.82	512	20.16	*	400187	400176	
650	25.59	675	26.58	64	2.52	224	8.82	288	11.34	256	10.18	544	21.42	*	400188	400178	
700	27.56	725	28.54	64	2.52	224	8.82	288	11.34	256	10.18	608	23.94	*	400189	400179	

Packing Unit: Lengths 250 through 450 10 pair per box. Lengths 500 and 550 8 pair per box. Lengths 600 through 700 6 pair per box.

* on request